

LOW RESIDUE DIET

What is the Low Residue Diet?

The low residue diet limits fiber to less than 10 grams per day. This diet helps to decrease the amount of stool in the bowel. It is used to treat acute conditions or flare-ups. It is to be followed for a short period of time. Ask your doctor when you are able to start adding foods back to your diet.

When is the Low Residue Diet used?

- Before and after bowel surgery
- To allow bowel rest during an inflammatory state and/or flare-up of Diverticulitis, Crohn's Disease and/or Ulcerative Colitis.
- To slow the rapid movement of stools.

| Food Type | Allowed | Avoid or limit to 10 grams of fiber daily |
|---|---|--|
| Beverages | • All | Milk only if Lactose Intolerant Caffeinated Coffee/Tea |
| Meat, Fish, Eggs, Poultry, Beans, Legumes, and Nuts | All Meats, Fish, Eggs, Poultry, Smooth/Creamy Peanut Butter Tofu | Chickpeas, Lima Beans, Black-Eyed Peas, Kidney Beans, Pinto Beans, Baked Beans Dried Beans, peas, lentils Crunchy Peanut Butter All Nuts and Seeds Tough, or stringy meats |
| Dairy Products | All MilkSmooth yogurt | Milk is avoided when lactose intolerance is |

| | | present (may try lactose free milk) Cheeses with seeds or chiles Yogurt with Fruit or Pieces of Granola |
|---|---|---|
| Breads, Potatoes, Rice, Grains, Cereals and Pasta | Breads, Crackers, Graham Crackers, Tortillas, Pasta made with White Flour White Rice Corn Bread White Potatoes without skin Pancakes or waffles Saltines Couscous Cream of Rice or Wheat, Grits Cold Cereals made from Corn, Rice and White Flour | Whole-Wheat, Rye, Pumpernickel or Bran Breads and Crackers Breads and Crackers with Dried Fruit, Nuts or Seeds Buckwheat Pancakes Rye Wafers Brown or Wild Rice, Barley Wheat germ Whole-Grain Cooked cereals, Oatmeal, Farina, Ralston Whole-Grain/Wheat, Oat/Granola and Bran cereals Rolled Oats |
| Vegetable Cook all allowed vegetables well done | Tomato/Vegetable Soup (no seeds) Vegetable Juice Tomato Sauce (no seeds) COOKED asparagus, Beets, Carrots, Spinach, Cauliflower, Green and Wax beans, Zucchini (no seeds), Green Pepper (no seeds, no skin), Bean Sprouts (raw/cooked) Cooked garlic, cooked onions | Broccoli, Corn, Mixed Vagetables, Peas, Eggplant, Mushrooms (raw/cooked) Most Raw Vegetables Minestrone Soup, Bean, Pea and Lentil soup Popcorn |

| Soup | Meat, Rice, Noodle Soups and Soups Made from allowed vegetables. | Minestrone Soup, Bean, Pea and Lentil Soups |
|-----------------------|--|--|
| Fruit | Applesauce, canned fruits, such as canned peaches, canned pears, canned pineapple, canned Fruit Mix without grapes, Bananas Peeled and Canned: Apricots, Citrus sections, plums | All Fresh Fruits AllDried Fruits |
| Sweets | Seedless Cranberry Sauce Smooth Jelly Frozen yogurt, Plain Cake, Hard Candy, Fruit Ice | Candy with Dried Fruit, Coconut, or Nuts Jam, Marmalade Relishes with skins/seeds |
| Spices and Condiments | Spices, Herbs, Seasonings | Pickles, Caraway Seeds |